

## DESCRIPTION

Where's Ben 14 was born to solve a lighting problem – to wash light on to walls with minimal light spill back on to the ceiling. Although Where's Ben 14 can be surface mounted, it was designed primarily to be trimless recessed into 13mm plasterboard. Our unique recessing kit allows for quick and beautiful trimless installations.

## FEATURES

- Made locally and factory assembled
- Asymmetric distribution
- Dot-free and uniform lighting
- Unique mounting clip design for easy installation
- V-groove for accurate drilling and strip alignment
- Polycarbonate diffuser – UV resistant
- Max. 14 W recessed, 20 W surface-mounted

## TECHNICAL DATA

APPLICATIONS	Wall washing, uplight, lighting for shelving or display units, hallway lighting, lighting signage & art
INSTALLATION	Interior   Exterior (with IP65 LED strip)
MOUNTING	Recessed   Surface mounted
MATERIALS	Extruded aluminium body   Polycarbonate diffuser   AES plastic end caps
LIGHT SOURCE	LED ribbon strip
POWER SUPPLY	24V DC - remote driver options ranging from 6 W up to 320 W
DIMMABLE	DALI, 1-10V, Phase Cut and Bluetooth drivers available
WARRANTY	7 year product warranty   13 months labour warranty. Refer to <a href="http://www.lightculture.com.au">www.lightculture.com.au</a> for more details

## FINISH



\*Custom colours available



## LED STRIP

### PRO Series IP20 & IP65

6 W/m			12 W/m			18 W/m			30 W/m - IP20 only		
2700 K	3000 K	4000 K	2700 K	3000 K	4000 K	2700 K	3000 K	4000 K	2700 K	3000 K	4000 K
298 lm	298 lm	321 lm	618 lm	618 lm	664 lm	916 lm	973 lm	985 lm	-	-	-

### RGBW IP20 & IP65

22 W/m			
RED	GREEN	BLUE	3000K
60 lm	158 lm	39 lm	230 lm

The above outputs are quoting luminaire output lumens per metre  
 30 W/m strip only available in IP20.  
 IP65 strips are +/- 200 K in colour temperature variance due to the silicone coating.  
 Electrical and optical data variance +/- 10%

## ACCESSORIES



JN-ST-12  
Straight joiner




JN-90-12  
90 degree joiner




JN-120-12  
120 degree joiner



JN-135-12  
135 degree joiner



C-WB14-1  
Recessing cowling



C-WB14-EC-1  
Recessing cowling end cap

